

UNDERSTANDING YOUR TREATMENT WITH UNLOXCYT™ (cosibelimab-ipdl)

 **UNLOXCYT™**
(cosibelimab-ipdl) Injection 300mg

UNLOXCYT is approved to treat adults with metastatic cutaneous squamous cell carcinoma (CSCC) or locally advanced CSCC when surgery or radiation is not an option.

You have been diagnosed with advanced cutaneous squamous cell carcinoma (aCSCC)—**You're not alone.**

What is UNLOXCYT?

UNLOXCYT is a type of medicine called an immunotherapy that helps your immune system find and attack cancer cells.



How well does it work?

UNLOXCYT is proven to work in people who are living with aCSCC. In some people, the cancer shrunk, while in others, it could no longer be detected.



What about side effects?

As with any treatment, some people who took UNLOXCYT experienced side effects, but they were usually mild to moderate.

The most common side effects include tiredness or weakness, muscle or bone pain, rash, diarrhea, low thyroid hormone levels (hypothyroidism), constipation, nausea, headache, itchy skin, swelling, infection, and urinary tract infection. See the [Medication Guide](#) for additional side effect information.



How will I receive it?

You'll receive UNLOXCYT at an infusion center or clinic. It is given as an IV (intravenous) infusion.

Each infusion is given over 60 minutes, and you will get treatment every 3 weeks. Your doctor will also check your progress and watch for side effects at this time.

What is UNLOXCYT?

UNLOXCYT (cosibelimab-ipdl) is a prescription medicine used to treat adults with a type of skin cancer called cutaneous squamous cell carcinoma (CSCC). UNLOXCYT may be used to treat CSCC that has spread or cannot be cured by surgery or radiation.

It is not known if UNLOXCYT is safe and effective in children.

What is the most important information I should know about UNLOXCYT injection?

UNLOXCYT works with your immune system. It can cause your immune system to attack normal organs and tissues in any area of your body and can affect the way they work. These problems can sometimes become severe or life-threatening and can lead to death. You can have more than one of these problems at the same time. These problems may happen anytime during treatment or even after your treatment has ended.

ONGOING SUPPORT DURING TREATMENT

Your healthcare professional can enroll you in UNLOXCYT SUPPORT™, which offers information and resources to help make starting and continuing treatment easier.



What's next?

Once your prescription is received, you'll be assigned to a Patient Access Liaison (PAL) from UNLOXCYT SUPPORT. Your PAL is available to answer questions or if you need more information about your insurance coverage and receiving UNLOXCYT™.



Help with paying for UNLOXCYT

Our dedicated support team will help:

- Review your insurance coverage
- Estimate your out-of-pocket costs
- Look for options to help lower costs

Important Safety Information

What signs and symptoms of immune system problems can happen with UNLOXCYT?

Call or see your healthcare provider right away if you develop any new or worsening signs or symptoms including, lung problems, intestinal, liver, hormone gland, kidney and skin problems.

Problems can also happen in other organs and tissues. Call or see your healthcare provider right away if you have any new or worsening signs or symptoms which may include chest pain, irregular heartbeat, shortness of breath, sleepiness, memory problems, changes in mood or behavior, stiff neck, balance problems, tingling or numbness of the arms or legs, eye problems, or bruising.

What problems can occur during infusion?

Infusion reactions can sometimes be severe or life-threatening. Signs and symptoms of infusion reactions may include nausea, dizziness, chills or shaking, feeling like passing out, itching or rash, fever, flushing, back or neck pain, shortness of breath or wheezing.

What if I have a transplanted organ or bone marrow transplant?

Rejection of a transplanted organ. Your healthcare provider should tell you what signs and symptoms you should report and monitor you, depending on the type of organ transplant that you have had. There may be complications, including graft-versus-host disease (GVHD), in people who have received a bone marrow (stemcell) transplant that uses donor stem cells. These complications can be serious and can lead to death. These complications may happen if you underwent transplantation either before or after being treated with UNLOXCYT. Your healthcare provider will monitor you for these complications.

Getting medical treatment right away may help keep these problems from becoming more serious. Your healthcare provider will check you for these problems during your treatment with UNLOXCYT. Your healthcare provider may treat you with corticosteroid or hormone replacement medicines. Your healthcare provider may also need to delay or completely stop treatment with UNLOXCYT if you have severe side effects.

What are the possible side effects of UNLOXCYT?

The most common side effects of UNLOXCYT include tiredness or weakness, muscle or bone pain, rash, diarrhea, low thyroid hormone levels (hypothyroidism), constipation, nausea, headache, itchy skin, swelling, infection, and urinary tract infection. These are not all the possible side effects of UNLOXCYT.

Can I take UNLOXCYT while pregnant or breastfeeding?

UNLOXCYT can cause fetal harm. Females of reproductive potential should use effective contraception. Breastfeeding should be avoided. Discuss with your healthcare provider.

How will I receive UNLOXCYT?

Your healthcare provider will give you UNLOXCYT into your vein through an intravenous (IV) line over 60 minutes, usually every three weeks. Your healthcare provider will decide how many treatments you will need and will do blood tests to check you for side effects. Your healthcare provider may treat you with corticosteroid or hormone replacement medicines. Your healthcare provider may also need to delay or completely stop treatment with UNLOXCYT if you have severe side effects.

You are encouraged to report side effects of UNLOXCYT to FDA: visit www.fda.gov/medwatch or call 1-800-FDA-1088.

You are also encouraged to report SUSPECTED ADVERSE REACTIONS or any side effects or ADEs (adverse drug events) to our Drug Safety Department at 1-800-406-7984 or DrugSafety.USoperations@sunpharma.com (preferred) with as much information as available.

Please see full [Prescribing Information](#) for additional Important Safety Information, including serious side effects, and the [Medication Guide](#).

Please visit UNLOXCYT.com to download the Patient Support Brochure for more specific information on UNLOXCYT SUPPORT, including eligibility and benefits available from the patient support team.

